First Hit

Previous Doc

Next Doc

Go to Doc#

**End of Result Set** 

Generate Collection

Print

L2: Entry 18 of 18

File: DWPI

May 22, 1987

DERWENT-ACC-NO: 1987-181878

DERWENT-WEEK: 198726

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: Medical fluid prepn. for rubbing into painful joints etc. - by fermenting houttuynia cordata, adding mixt. of plant-based components, fermenting and milling prod.

PATENT-ASSIGNEE:

ASSIGNEE

CODE

MARUO K

MARUI

PRIORITY-DATA: 1985JP-0252141 (November 11, 1985)

Search Selected Search ALL Clear

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES MA

MAIN-IPC

☐ JP 62111930 A

May 22, 1987

002

☐ JP 92074335 B

November 26, 1992

002

A61K035/78

APPLICATION-DATA:

PUB-NO

APPL-DATE

APPL-NO

DESCRIPTOR

JP 62111930A

November 11, 1985

1985JP-0252141

JP 92074335B

November 11, 1985

1985JP-0252141

JP 92074335B

JP 62111930

Based on

INT-CL (IPC): A61K 35/78

ABSTRACTED-PUB-NO: JP 62111930A

BASIC-ABSTRACT:

Houttuynia cordata is immersed in water for 1 week to remove its harshness and to ferment it and then squeezed to obtain a juice. 1kg of a mixt. comprising the following components is added and cold water is added at room temp. to it without milling or shaking. The prod. is filled in a brown tightly-closed bottle and stored in a dark cold place for approx. 3 months to ferment and then milled to a colloidal state.

The mixt. comprises: Cnidiun officinale 1.0g; Cinnamon 1.5g; Angelica acutiloba 2.0g; Paeonia suffrutocosa 1.0g; Peony 2.0g; Coptis japonica 0.1g; Poria cocos 1.0g; Carrot 0.1g; Rehmannia glutinose 0.5g; Clove 0.1g; Atractylodes Lancea 1.0g; Licorice 0.4g; Prunus persica 0.4g; Zingiber officinale 0.1g; Cyperus rotundus 0.5g

and Angelica acutiloba 0.7g.

USE/ADVANTAGE - The fluid is effective for both internal and surgical use.

In an example, the medical fluid is rubbed into both sites of the target joint of the backbone according to the condition of pain. It penetrates rapidly and is incorporated into the blood to give a therapeutical effect on the affected part.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: MEDICAL FLUID PREPARATION RUBBING PAIN <u>JOINT</u> FERMENTATION HOUTTUYNIA CORDATA ADD MIXTURE PLANT BASED COMPONENT FERMENTATION MILL PRODUCT

DERWENT-CLASS: B04

CPI-CODES: B04-A07F2; B12-A07; B12-D01; B12-M02F;

CHEMICAL-CODES:

Chemical Indexing M1 \*01\*
Fragmentation Code
M423 M720 M903 N161 P411 P942 P943 R022 V400 V406
Registry Numbers
87140 1286M

Chemical Indexing M6 \*02\*
Fragmentation Code
M903 P411 P942 P943 R022 R210 R263
Registry Numbers
87140 1286M

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1987-075778

Previous Doc Next Doc Go to Doc#

① 特許出願公開

## ⑩ 公 開 特 許 公 報 (A) 昭62 - 111930

@Int.Cl.⁴

識別記号

庁内整理番号

❸公開 昭和62年(1987)5月22日

A 61 K 35/78

6640-4C

審査請求 有 発明の数 1 (全2頁)

②特 願 昭60-252141

20出 頭 昭60(1985)11月11日

長崎市三山町139番地5 長崎原爆被爆者養護ホーム内

⑪出 願 人 丸 尾 國 太 郎 長崎市三山町139番地5 長崎原爆被爆者養護ホーム内

RF 488 🕿

- 1. 発明の名称 植物性療込業液製法
- 2. 特許請求の範囲

| 萩道当量を1週間普通の水に漬けて灰汁抜きし、発酵させ | たものの絞り汁を母析となし、これに下記

| センキュウ | 1.0 9 | 植 皮   | 1.5 9 |
|-------|-------|-------|-------|
| ኑ ኃ ቀ | 2.0 9 | ポタンピ  | 1.0 8 |
| シャクヤク | 2.0 9 | ホウレン  | 0.1 🕏 |
| プクリョウ | 1.0 % | 人     | 0.19  |
| ジオウ   | 0.5 🕊 | 丁 子   | 0.19  |
| ソウジュフ | 1.0 ₽ | カンソウ  | 0.49  |
| ドゥニン  | 0.4 8 | 生 甚   | 0.19  |
| コウブシ  | 0.5 🕏 | F 9 + | 0.7 9 |

計149を混合し、常盛のまま品やも振蕩もせず、普通の 冷水を加えて、茶色の容器に由閉して冷晦所に約3月間 保蔵して発酵後、コロイド状を生ずるまでとなさせて、 薬効を結する繋込液を製造する方法。

3. 発明の詳細を説明

従来和興楽いわゆる機力楽は、急速な楽効は無いが、と の発酵楽は効果が早い。二、三回で効果をあらわす。 毎輪場作用はない。

委画の線過傷、斬り傷、打撲傷等はその局所に強付する だけで治癒する。従来総められている効用としてはドタ メミは利尿、下痢、糖尿、動脈硬化に有効。シャタャタ は濃塵作用、センキュウは強壮、濃醇作用、トウキも同様、ブクリョウは胃内停水、心悸亢進緩解、筋肉の虚れ ん、尿不通、口褐、目まい等に利き、ジオウは強壮用、 ドウニンは濃酸、濃痛、緩下剤、下腹部満痛、腫瘍、月 軽不順等に、コウブシは通経、濃血、脳壁血用として、 ボタンとは消失、濃痛、通経、下腹部血行障害等に、オ ウレンは健胃用に、人参は新陳代謝促進、健胃、消化不 良、下痢、シり吐、食欲喘逃等に、丁子は健胃、食饮噌 ぬ。 カンソウは肝臓酸飴の強化に、トウキは強壮、鎮耶、貧血、産婦人科用等に効果があるとされて米たが、何れも 電物や調物で無く、某人にも安心して使用し得られるの で、甚だ絶利である。

要するに上配脳多の効果を有する成分の総合液で、内科 的にも外科的にも治癒効果を発揮する便利、有効な機込 液である。

特許川嶼人 丸 邑 國太郎